

**CLAIMS AMENDMENTS**

1. (Original) A liner system for a truck having a truck bed and a pair of wheel wells, said system comprising:

a molded plastic liner portion dimensioned to be received into and operative to cover a portion of the truck bed, said liner having:

a floor and a pair of side walls, said side walls extending upwardly from said floor, said floor having a longitudinal centerline, said liner further having a pair of spaced apart end panel portions, one of said panel portions extending along said wheel well, said pair of panel portions extending upwardly from said floor and inwardly from each of said pair of side walls to define a cargo bin having an open side; and

at least one containment member selectably attachable to said cargo bin extending across said open side, said containment member operative to restrain objects contained within said cargo bin from movement toward the centerline of the floor.

2. (Original) The system of claim 1 wherein the floor further comprises at least one recessed portion adapted to receive a partition mounting member.

3. (Original) The system of claim 2 wherein said partition mounting member includes a plurality of apertures for receiving complementary mounting fasteners disposed on a partition.

4. (Original) The system of claim 1 wherein another of said pair of panel portions at distal ends of said two sidewalls forms a front wall adjacent a passenger compartment of the truck.

5. (Original) The system of claim 1 wherein said at least one containment member is formed of a mesh netting material.

6. (Cancelled)

7. (Original) The system of claim 1 wherein at least one of said cargo bins is adapted to receive a cooler.

8. (Original) The system of claim 2 wherein said partition mounting member has a top surface extending at or below the floor.

9. (Original) A liner system for a truck having a truck bed and a pair of wheel wells, said system comprising:

a molded plastic liner portion dimensioned to be received into and operative to cover a portion of the truck bed, said liner having:

a floor and a pair of side walls, said side walls extending upwardly from said floor, said floor having a longitudinal centerline, said liner further having a pair of spaced apart end panel portions, one of said end panel portions extending along said wheel well, said pair of panel portions extending upwardly from said floor and

inwardly from each of said pair of side walls to define a cargo bin having an open side;

at least one containment member selectably attachable to said cargo bin extending across said open side, said containment member operative to restrain objects contained within said cargo bin from movement toward the centerline of the floor; and

at least one recessed portion adapted to receive a partition mounting member having a plurality of apertures for receiving complementary mounting fasteners disposed on a partition.